

# DS4321F-T

## Capacitive Portable Digital Signage



## Product parameters

Specification	Model		Parameter
Panel	LCD Size		43''
	Panel standard		A grade
	Light source		WLED
	Display area		940.896 x 529.254mm
	Resolution		1920 x 1080pixels
	Contrast ratio		1200:1 (typ.)
	Brightness		380cd/m²(typ.)
	Reaction time		8(Typ.)(G to G)(ms)
	Frame rate		60Hz
	Perspective		178°(H)/178° (V)
	Life		30,000hrs(min.)
Program	Android		5.1 system
	Storage	RAM	2G
		DDR	8G
Power	Voltage		100V~240V,50-60HZ
	Maximum power		≤90W
	Standby power		< 0.5W
Environment	Working temperature		0°C~ 40°C
	Storage temperature		-10°C~ 60°C
	Storage humidity		10%~ 90%RH Non-Condensing
	Working humidity		20%~ 85%RH Non-Condensing
	Longest use time(hour/day)		7*24 hours
Output interface	EARPHONE		1
	HDMI		1
Input Interface	USB2.0		1
	USB-OTG		1
	TF		1
	SIM		1
	LAN		1
Touch parameters	Surface protection		Explosion-proof glass
	Max. touch		10 points
	Interpolation resolution		32768
	Touch accuracy		±1.5mm
	Response time		< 8ms
	Min. Touch object		TC8:6mm, Q9:2.5mm
Structure	Net weight		30KG(±1KG)
	Gross weight		34KG(±1KG)
	Bare dimensions(W x D x H)		633x1760x73.7mm
	Packing Dimensions(W x H x D)		1700*720*140mm
	Shell material		Sheet metal
	Shell color		White/black

Language	OSD	English/ Chinese (multinational)
Accessories	Power Supply Cable	1
	Certificate of qualification	1
	User Manual	1
	Warranty Card	1
Functions	Support 8/8bitbit dual LVDS (1920*1080) HD display	
	<b>Built-in digital signage advertising publishing management; Support timer switch on/off;</b> Support software upgrade by USB flash disk.	
	Support image, video, music, dynamic text, PPT, interactive APP, dynamic sheet, website, static text, APK application, office files, etc.	
	Support text, LOGO, date/time/week, weather and title. Support background picture and background color.	
	Concise program release interface, easy to realize playback time, order, rate, content, place and other functions management. Get the program display perfectly.	
	Intelligent day schedule, playback, timing playing, inserts different programs mode included. Support publishing program by timing and schedule. Republishing historical program. Delete expired program automatically, save labor costs for updating and managing new program by remote control. Support U disk import or direct playback. Super multi-time timer switch on/off function, unattended.	
	Program preview, multiple level review, make sure to publishing program accurately. Enterprise customization and business expansion service is optional.	
	Landscape or portrait display switchable, smooth transition without black screen.	
	Terminal remote monitoring, real time review, provide rich business reports and management reports.	
	Powerful system health monitoring, support for fault warning, timely prompt notification of error messages.	
	Terminal system remote upgrade, intelligent domain name resolution, secure backup, convenient and efficient operation and maintenance.	
	Support WAN, LAN, VPN/WiFi/3G network publishing, cross-regional, inter- provincial, multi-network easy networking.	

## Six views

